Technical data sheet BauderGREEN DSE 40 drainage board



17/03/2025

| Product description | Moulded HDPE 40mm drainage board | | |
|---------------------|---|--|--|
| Application fields | Interlocking, loose laid, water storage and multi directional drainage board for hard and soft landscaping. Can be filled with agregate (such as BauderGREEN SUB-MB UK) to improve the compressive strength of the product. | ng. Can be filled with agregate (such as | |
| Colour | Black | 465 | |
| Article number | 7468 0040 | | |

| Characteristic | Unit | Value |
|---|------|----------------------------|
| Material | - | 100% recycled HDPE, black |
| Water storage capacity | I/m² | 13.5 |
| Weight | g/m² | 1800 |
| Initial thickness of material | mm | 1.80 |
| Size | m | 1.04x2.03 |
| Height of cells | mm | 40 |
| Volume | I/m² | 21 |
| Lower surface contact area | % | 42 |
| Delivery form | - | board of 2.1m ² |
| Compressive strength | kPa | 80 (EN ISO 25619-2) |
| Compressive strength - filled with grit 2/5 | kPa | >208 (EN ISO 25619-2) |

| Installation guidance | Refer to the Bauder Green & Blue Roof Installation Guide. | | | | |
|---------------------------------|--|---------|--|---|--|
| Draining performance horizontal | hydraulic gradient | | longitudinal (Load 20 kPa) (EN 12958) | transversal (Load 20 kPa) (EN 12958) | |
| | i = 0.01 (slope 1%) | I/(m⋅s) | 0.75 | 0.65 | |
| | i = 0.02 (slope 2%) | I/(m·s) | 1.08 | 0.96 | |
| Product storage guidance | The product should be stored out of direct sun light and must not be exposed to temperatures exceeding 35°C. The products must not be exposed to a direct naked flame or other ignition sources, or to solvents or other chemicals covered with a suitable robust UV resistant, flame-retardant tarpaulin. Ensure the product is clear of buildings and any other storage areas. Where there are storage containers on site, these may be suitable for storing products. | | | | |
| Pallet size | 240 boards / 504m² | | | | |
| Packaging material | The product will be delivered on wooden pallets with plastic overwrap to protect the product. | | | | |
| Handling/PPE | All persons using the product should be fully aware of the manual handling methods as roofing materials are | | | | |

Technical data sheet BauderGREEN DSE 40 drainage board



heavy and can cause serious injury. When using/handling the product, installers should be provided with, and

wear, suitable personal protective equipment.

Shelf life When stored correctly, the product has no stated shelf life.

Disposal guidanceWaste of the product is not a hazardous substance. Observe local regulations. European Waste Catalogue

EWC number 170203 Plastic Mirror Non-hazardous

Recycled Content 100% recycled material

visiting www.bauder.co.uk

Safety Data Sheet Safety Data Sheets are designed to provide the necessary information to recipients of substances and

mixtures in the EU & UK. This product is classed as an article; therefore, this product does not have a

requirement for a Safety Data Sheet.