

Bauder Polymer Primer safety data sheet as per 1907/2006 (REACH), Annex II

Revision date: March 2022 Supersedes: 26/06/2017

COMPANY UNDERTAKING

Bauder Limited W: bauder.co.uk
70 Landseer Road T: 01473 257671
Ipswich E: info@bauder.co.uk

Suffolk IP3 0DH England

1.1 Product identifier

SECTION 1: Identification of the substance/mixture and of the company/undertaking

Product name Bauder Polymer Primer

Product number A04008 BLUE

1.2 Relevant identified uses of the substance or mixture and uses advised

against Identified uses Adhesive.

Uses advised againstNo specific uses advised against are identified.

1.3 Details of the supplier of the safety data sheet

Supplier

Bauder Ltd 70 Landseer Road, Ipswich, Suffolk, IP3 0DH

T: +44 (0) 1473 257671 F: +44 (0) 1473 230761 E: info@bauder.co.uk

1.4 Emergency telephone number

NPIS (National Poisons Information Service): 0344 892 0111 (for medical professionals only). For medical advice, members of the public should contact NHS 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards Flam. Liq. 2 - H225

Health hazards Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 -

H373Environmental hazards Not Classified

Physicochemical The product is highly flammable. Vapours may form explosive mixtures with air. Vapours

areheavier than air and may travel along the floor and accumulate in the bottom of

containers. Vapours may be ignited by a spark, a hot surface or an ember.

2.2. Label elements

Pictogram







Signal word

Dange

Hazard statements H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

Nosmoking.

P260 Do not breathe vapour/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

P308+P313 IF exposed or concerned: Get medical advice/ attention.

P501 Dispose of contents/ container in accordance with national regulations.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

Contains TOLUENE

Supplementary precautionary statements

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P240 Ground/ bond container and receiving equipment.

P241 Use explosion-proof electrical equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P261 Avoid breathing vapour/ spray.

P264 Wash contaminated skin thoroughly after handling. P271 Use only outdoors or in a well-ventilated area. P302+P352 IF ON SKIN: Wash with plenty of water.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing.

Rinse skin with water/ shower.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for

breathing.P312 Call a POISON CENTER/ doctor if you feel unwell.

P314 Get medical advice/ attention if you feel unwell.
P321 Specific treatment (see medical advice on this label).
P332+P313 If skin irritation occurs: Get medical advice/ attention.
P362+P364 Take off contaminated clothing and wash it before reuse.

P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P403+P235 Store in a well-ventilated place. Keep cool.

2.3. Other hazards P405 Store locked up.

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

TOLUENE 60-100%

CAS number: 108-88-3 EC number: 203-625-9 REACH registration number: 01-

2119471310-51-0051

Classification (67/548/EEC or 1999/45/EC)

Flam. Liq. 2 - H225 F;R11 Repr. Cat. 3;R63 Xn;R48/20,R65 Xi;R38 R67

Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Repr. 2 - H361d STOT SE 3 - H336 STOT RE 2 - H373 Asp. Tox. 1 - H304

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information Get medical attention if any discomfort continues.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air

andkeep warm and at rest in a position comfortable for breathing.

Ingestion Rinse mouth thoroughly with water. Get medical attention.

Skin contact Remove contaminated clothing immediately and wash skin with soap and water.

Eye contact Rinse immediately with plenty of water. Remove any contact lenses and open eyelids

wideapart. Continue to rinse for at least 15 minutes. Get medical attention immediately.

4.2. Most important symptoms and effects, both acute and delayed

General information The severity of the symptoms described will vary dependent on the concentration and

thelength of exposure.

Inhalation Vapours may cause headache, fatigue, dizziness and nausea.

Ingestion May cause discomfort if swallowed. May cause stomach pain or vomiting.

Skin contact Prolonged skin contact may cause redness and irritation.

Eye contact May cause temporary eye irritation.

4.3. Indication of any immediate medical attention and special treatment needed

No specific recommendations. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards The product is flammable. Heating may generate flammable vapours. Protection against

nuisance dust must be used when the airborne concentration exceeds 10 mg/m3. The

productis highly flammable.

Hazardous combustion

products

Does not decompose when used and stored as recommended.

5.3. Advice for firefighters

Protective actions during

firefighting

Control run-off water by containing and keeping it out of sewers and watercourses.

Avoidbreathing fire gases or vapours. Keep up-wind to avoid fumes.

Special protective equipment

for firefighters

Wear chemical protective suit.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Wear protective clothing as described in Section 8 of this safety data sheet.

6.2. Environmental precautions

Environmental precautions Spillages or uncontrolled discharges into watercourses must be reported immediately to the

Environmental Agency or other appropriate regulatory body. Do not discharge into drains

orwatercourses or onto the ground.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up Eliminate all sources of ignition. No smoking, sparks, flames or other sources of ignition near

spillage. Provide adequate ventilation. Absorb in vermiculite, dry sand or earth and place

intocontainers.

6.4. Reference to other sections

Reference to other sections Wear protective clothing as described in Section 8 of this safety data sheet. For

wastedisposal, see section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Keep away from heat, sparks and open flame. Static electricity and formation of sparks

must be prevented. Good personal hygiene procedures should be implemented. Wash hands and any other contaminated areas of the body with soap and water before leaving the

work site.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep away from heat, sparks and open flame. Keep container tightly closed. Keep only in

theoriginal container.

Storage class Flammable liquid storage.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure Controls/personal protection

8.1. Control parameters

Occupational exposure limits

TOLUENE

Safety Data Sheet: Bauder Polymer Primer

Long-term exposure limit (8-hour TWA): WEL 50 ppm(Sk) 191 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 150 ppm(Sk) 574 mg/m3(Sk)

WEL = Workplace Exposure Limit

Ingredient comments WEL = Workplace Exposure Limits

TOLUENE (CAS: 108-88-3)

DNEL 8.2.

Workers - Inhalation; Short term systemic effects: mg/m³

Exposure controls

Protective equipment











Appropriate engineering

controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.

Eye/face protection

The following protection should be worn: Chemical splash goggles.

Hand protection

Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. It is recommended that gloves are made of the following material: Nitrile rubber. It should be noted that liquid may penetrate the gloves. Frequent changes are recommended.

Other skin and body

protection

Wear appropriate clothing to prevent any possibility of liquid contact and repeated or prolonged vapour contact. Wear apron or protective clothing in case of contact.

Hygiene measures Use engineering controls to reduce air contamination to permissible exposure level.

Provideeyewash station. Wash contaminated clothing before reuse. Wash hands after

handling.

Eating, smoking and water fountains prohibited in immediate work area.

Respiratory protection

In confined or poorly-ventilated spaces, a supplied-air respirator must be worn. Wear

arespirator fitted with the following cartridge: Gas filter, type AX.

Environmental exposure

controls

Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to

reduce emissions to acceptable levels.

SECTION 9: Physical and Chemical Properties

9.1. Information on basic physical and chemical properties

Appearance Liquid.

Colour Various colours.

Odour aromatic hydrocarbons

Odour threshold Not available.

Not available. pН

Melting point Not available.

Not determined. Initial boiling point and range

Flash point

Not determined. **Evaporation rate**

Not available. **Evaporation factor**

Flammability (solid, gas) Not available. Upper/lower flammability or Lower flammable/explosive limit, Upper flammable/explosive limit: 1.3 - 7%

explosive limits

Other flammability Vapour Not available.

pressure Not available.

Vapour density Not available.

Relative densityBulk 0.87 @ 20°C

density

Not available. Solubility(ies)

Partition coefficient Insoluble in water.

Not available.

Decomposition Temperature Not available.

Viscosity 150 cP @ 20°C

Explosive properties Not available.

Explosive under the influence

of a flame

Not considered to be explosive.

Oxidising properties Not available.

Comments Information given is applicable to the product as

supplied.9.2. Other information

Other information No information required.

Refractive index

Particle size

Not available.

Molecular weight

Not available.

Volatility

Not available.

Saturation concentration

Not available.

Critical temperature Not available.

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns. Stable at normal ambient temperatures and when used

7/10

asrecommended.

10.3. Possibility of hazardous reactions

Possibility of hazardous

reactions

Not applicable. Not relevant.

10.4. Conditions to avoid

Conditions to avoid Avoid heat, flames and other sources of ignition.

10.5. Incompatible materials

Materials to avoid Strong oxidising agents. Strong acids. Strong alkalis.

10.6. Hazardous decomposition products

Hazardous decomposition

products

Does not decompose when used and stored as recommended. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours. Oxides of carbon.Oxides of nitrogen.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

TOLUENE

Acute toxicity - oral

Acute toxicity oral (LD₅₀

2,000.0

mg/kg)

Species

Rat

ATE oral (mg/kg)

2,000.0

Acute toxicity - dermal

Acute toxicity dermal (LD₅₀

2,000.0

mg/kg)

Species

Rabbit

ATE dermal (mg/kg)

2,000.0

Acute toxicity - inhalation

Acute toxicity inhalation

(LC₅₀ vapours mg/l)

Species

Rat

20.0

20.0

Acute toxicity inhalation

(LC₅₀ dust/mist mg/l)

Species

Rat

ATE inhalation (vapours

mg/l)

20.0

SECTION 12: Ecological Information

12.1. Toxicity

TOLUENE

Acute toxicity - fish

, 48 hours: > 1-10 mg/l, Freshwater fish

Acute toxicity - aquatic

invertebrates

EC₅₀, 48 hours: 11.5 mg/l, Daphnia magna

Acute toxicity - aquatic

plants

IC₅₀, 72 hours: 100 mg/l, Fish

12.2. Persistence and degradability

12.3. Bioaccumulative potential

Partition coefficient

Not available.

TOLUENE

Bioaccumulative potential The product does not contain any substances expected to be

bioaccumulating. Partition coefficient Not available.

12.4. Mobility in soil

Mobility The product contains volatile organic compounds (VOCs) which will evaporate easily from

allsurfaces.

TOLUENE

Mobility The product contains volatile organic compounds (VOCs) which will

evaporateeasily from all surfaces.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

TOLUENE

Results of PBT and vPvB

This product does not contain any substances classified as PBT or vPvB.

assessment

12.6. Other adverse effects

Other adverse effects None known.

TOLUENE

Other adverse effects Not known.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal

sitein accordance with the requirements of the local Waste Disposal Authority.

Disposal methods Dispose of waste to licensed waste disposal site in accordance with the requirements of

thelocal Waste Disposal Authority.

SECTION 14: Transport information

14.1. UN number

UN No. (ADR/RID) 1133

UN No. (IMDG) 1133

UN No. (ICAO) 1133

UN No. (ADN) 1133

14.2. UN proper shipping name

Proper shipping name

ADHESIVES

(ADR/RID)

Proper shipping name (IMDG) ADHESIVES

Proper shipping name (ICAO) ADHESIVES

Proper shipping name (ADN) ADHESIVES

14.3. Transport hazard class(es)

ADR/RID class 3

ADR/RID classification code F1

ADR/RID label 3

IMDG class 3

ICAO class/division 3

ADN class 3

Transport labels



14.4. Packing group

ADR/RID packing group

IMDG packing group

ADN packing group

ICAO packing group

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutantNo.

Ш

14.6. Special precautions for user

EmS F-E, S-D

ADR transport category 2

Emergency Action Code •3YE

Hazard Identification Number 33(ADR/RID)

Tunnel restriction code (D/E)

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations Health and Safety at Work etc. Act 1974 (as amended).

The Control of Substances Hazardous to Health Regulations 2002 (SI 2002 No. 2677)

(asamended).

The Chemicals (Hazard Information and Packaging for Supply) Regulations 2009 (SI 2009

No. 716).

Control of Substances Hazardous to Health Regulations 2002 (as amended).

EU legislation Commission Directive 91/322/EEC of 29 May 1991 on establishing indicative limit values

by implementing Council Directive 80/1107/EEC on the protection of workers from the risks

related to exposure to chemical, physical and biological agents at work.

Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of

Chemicals (REACH) (as amended).

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Issued by Compliance

Revision date 01/03/2022

Revision 3

SDS number 20934

Hazard statements in full H225 Highly flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H336 May cause drowsiness or dizziness. H361d Suspected of damaging the unborn child.

H373 May cause damage to organs through prolonged or repeated exposure.

Store Between 5'c - 25'c

Contains SVHC NO